Report title Indicator

Instructions

Water Consumption Report, v1.1 1.18.2, 1.18.5

This template is intended for reporting feed mill water use results to ASC. Indicate in table 1 the production year and total production volume in the production year, in metric tonnes. The production volume is the total feed production on-site. The total water use and total water use per tonne of feed is calculated automatically.

In table 2, specify the water use ('Quantity used') by water source consumed during the production year, including all water used across all production on-sites. Water use should be based on water <u>withdrawal minus discharge</u>, rather than based on estimates of water

List all water sources, separated into the categories "freshwater" and "other water" ("freshwater" is categorised as ≤1,000 mg/L Total Dissolved Solids, and "other water" is categorised as >1,000 mg/L Total Dissolved Solids.), used during the production process, from ingredient receiving to final product dispatch. The water use per source per tonne of feed per year is calculated automatically.

In table 3, specify whether the site is operating in a region of "high" or "extremely high" water stress, according to the Aqueduct Water Risk Atlas.

Link to Aqueduct Water Risk Atlas

Notes: Water volume is reported in mega litre (ML). One mega litre is equivalent to 1000 m3 or 1000000 litre.
Only enter data in blue cells.



Table 1. Production year, production volume and total water

Year of production (yyyy) Total production volume (metric tonnes) Total water use (ML) Water use per tonne (ML/tonne)

2023 31206 168.7367186

Table 2. Water use by source and category

	Water source (select)	Category (select)	Quantity used (ML)	Water use per source
	ground water sources (e.g. wells)	fresh water	19.168	0.000614241
ace wat	er sources (including from wetlands, rivers, lakes, collected/harveste	fresh water	165.771	0.005312152
				0
				0
				0
				0
				0
				0
				0
				0
				0

Table 3. Water stress

Is the feed mill operating in a region of 'high' or 'extremely high' water stress? (select)

Yes